



China Diamant Tools Co., Limited


Tel: +86-139-59890092, Website: www.chinadiamant.com, E-mail: info@chinadiamant.com


Diamond Segments for stone concrete cutting & drilling


1. Diamond segments of circular saw blades for granite hard stone cutting


Normal flat shape	Code No.	Diameter (mm/Inch)	Segment Size (mm)	Segment No. (pcs/set)
	DSGS-01-250	250mm(10")	40x2.8x10	18
	DSGS-01-300	300mm(12")	40x3.0x10/12	21
	DSGS-01-350	350mm(14")	40x3.2x10/12/15/20	24/25
	DSGS-01-400	400mm(16")	40x3.6x10/12/15/20	28
	DSGS-01-450	450mm(18")	40x4.0x10/12/15/20	32
	DSGS-01-500	500mm(20")	40x4.2x10/12/15/20	36
	DSGS-01-550	550mm(22")	40x4.4x10/12/15/20	38
	DSGS-01-600	600mm(24")	40x4.6x10/12/15/20	42
	DSGS-01-700	700mm(28")	40x5.2x10/12/15/20	50
	DSGS-01-750	750mm(30")	40x5.5x10/12/15/20	50
	DSGS-01-800	800mm(32")	40x6.0x10/12/15/20	46


Turbo shape	Code No.	Diameter (mm/Inch)	Segment Size (mm)	Segment No. (pcs/set)
	DSGS-02-350	350mm(14")	40x3.2x12	24
	DSGS-02-400	400mm(16")	40x3.6x12	28
	DSGS-02-450	450mm(18")	40x4.0x12	32
	DSGS-02-500	500mm(20")	40x4.2x12	36
	DSGS-02-550	550mm(22")	40x4.4x12	38
	DSGS-02-600	600mm(24")	40x4.6x12	42

Step taper with U slot	Code No.	Diameter (mm/Inch)	Segment Size (mm)	Segment No. (pcs/set)
	DSGS-03-350	350mm(14")	40x3.2x20	24
	DSGS-03-400	400mm(16")	40x3.6x20	28
	DSGS-03-450	450mm(18")	40x4.0x20	32
	DSGS-03-500	500mm(20")	40x4.2x20	36
	DSGS-03-550	550mm(22")	40x4.4x20	38
	DSGS-03-600	600mm(24")	40x4.6x20	42


20mm length T shape	Code No.	Diameter (mm/Inch)	Segment Size (mm)	Segment No. (pcs/set)
	DSGS-04-300	300mm(12")	20x3.6/3.3/3.0x20	21
	DSGS-04-350	350mm(14")	20x3.6/3.3/3.0x20	24
	DSGS-04-400	400mm(16")	20x4.0/3.7/3.4x20	28
	DSGS-04-450	450mm(18")	20x4.3/4.0/3.7x20	32
	DSGS-04-500	500mm(20")	20x4.3/4.0/3.7x20	36
	DSGS-04-550	550mm(22")	20x5.0/4.7/4.4x20	38
	DSGS-04-600	600mm(24")	20x5.0/4.7/4.4x20	42
	DSGS-04-650	650mm(26")	20x5.0/4.7/4.4x20	46
	DSGS-04-700	700mm(28")	20x5.4/5.1/4.8x20	50
	DSGS-04-800	800mm(32")	20x6.0/5.7/5.1x20	57


step taper shape	Code No.	Diameter (mm/Inch)	Segment Size (mm)	Segment No. (pcs/set)
	DSGS-05-350	350mm(14")	40x3.2x20	24/25
	DSGS-05-400	400mm(16")	40x3.6x20	28
	DSGS-05-450	450mm(18")	40x4.0x20	32
	DSGS-05-500	500mm(20")	40x4.2x20	36
	DSGS-05-550	550mm(22")	40x4.4x20	38
	DSGS-05-600	600mm(24")	40x4.6x20	42


<< step taper shape	Code No.	Diameter (mm/Inch)	Segment Size (mm)	Segment No. (pcs/set)
	DSGS-06-350	350mm(14")	40x3.2x12	24
	DSGS-06-400	400mm(16")	40x3.6x12	28
	DSGS-06-450	450mm(18")	40x4.0x12	32
	DSGS-06-500	500mm(20")	40x4.2x12	36
	DSGS-06-550	550mm(22")	40x4.4x12	38
	DSGS-06-600	600mm(24")	40x4.6x12	42

W shape	Code No.	Diameter (mm/Inch)	Segment Size (mm)	Segment No. (pcs/set)
	DSGS-07-350	350mm(14")	40x3.2x20	24
	DSGS-07-400	400mm(16")	40x3.6x20	28
	DSGS-07-450	450mm(18")	40x4.0x20	32
	DSGS-07-500	500mm(20")	40x4.2x20	36
	DSGS-07-550	550mm(22")	40x4.4x20	38
	DSGS-07-600	600mm(24")	40x4.6x20	42


Arix structure	Code No.	Diameter (mm/Inch)	Segment Size LxWxH(mm)	Segment No. (pcs/set)
	DSMATRIX-01-250	250mm(10")	40x2.8x10	18
	DSMATRIX-01-300	300mm(12")	40x3.0x10/12/15	21
	DSMATRIX-01-350	350mm(14")	40x3.2x10/12/15	24/25
			40x3.2x15/20	
	DSMATRIX-01-400	400mm(16")	40x3.6x10/12/15	28
			40x3.6x15/20	
	DSMATRIX-01-450	450mm(18")	40x4.0x10/12/15	32
			40x4.0x15/20	
	DSMATRIX-01-500	500mm(20")	40x4.2x10/12/15	36
			40x4.2x15/20	
	DSMATRIX-01-600	600mm(24")	40x4.6x10/12/15	42
			40x4.6x15/20	
	DSMATRIX-01-700	700mm(28")	40x5.0x10/12/15	50
40x5.0x15/20				
DSMATRIX-01-800	800mm(32")	40x5.2x10/12/15	46	
		40x5.2x15/20		
DSMATRIX-01-900	900mm(36")	40x6.0x10/12/15	64	
DSMATRIX-01-1000	1000mm(40")	40x6.5x10/12/15	70	
DSMATRIX-01-1200	1200mm(48")	40x7.0x10/12/15	80	


Arix structure with V groove	Code No.	Diameter (mm/Inch)	Segment Size LxWxH(mm)	Segment No. (pcs/set)
	DSMATRIX-02-300	300mm(12")	40x3.2x15/20	21
	DSMATRIX-02-350	350mm(14")	40x3.2x15/20	24
	DSMATRIX-02-400	400mm(16")	40x3.4x15/20	28
	DSMATRIX-02-450	450mm(18")	40x3.6x15/20	32
	DSMATRIX-02-500	500mm(20")	40x3.8x15/20	36


Arix structure & diagonal groove	Code No.	Diameter (mm/Inch)	Segment Size LxWxH(mm)	Segment No. (pcs/set)
	DSMATRIX-03-300	300mm(12")	40x3.2x12	21
	DSMATRIX-03-350	350mm(14")	40x3.2x12	24
	DSMATRIX-03-400	400mm(16")	40x3.4x12	28
	DSMATRIX-03-450	450mm(18")	40x3.6x12	32
	DSMATRIX-03-500	500mm(20")	40x3.8x12	36
	DSMATRIX-03-600	600mm(20")	40x4.2x12	42

Normal taper shape (sandwich or multi-layer)	Code No.	Diameter (mm)	Segment Dimension (L×W×H)mm	Segment No. (pcs/set)
	DSGB-01-0900	900	24x7.0/6.5x12/15/20	64
	DSGB-01-1000	1000	24x7.0/6.5x12/15/20	70
	DSGB-01-1100	1100	24x7.4/6.8x12/15/20	74
	DSGB-01-1200	1200	24x7.5/7.0x12/15/20	80
	DSGB-01-1350	1350	24x8.4/7.7x12/15/20	88
	DSGB-01-1400	1400	24x8.5/8.0x12/15/20	96
	DSGB-01-1600	1600	24x9.0/8.4x12/15/20	104/108
	DSGB-01-1700	1700	24x9.4/8.4x12/15/20	112
	DSGB-01-1800	1800	24x9.5/9.0x12/15/20	120
	DSGB-01-2000	2000	24x10.5/9.5x12/15/20	128
	DSGB-01-2200	2200	24x11.5/10.5x12/15/20	132/136
	DSGB-01-2500	2500	24/30x12.0/11.0x20/25/30	140
	DSGB-01-2700	2700	24/30x12.0/11.0x20/25/30	140
	DSGB-01-3000	3000	24/30x12.5/11.5x20/25/30	160
DSGB-01-3500	3500	24/30x13.5/12.5x20/25/30	180	

<< step taper shape (sandwich or multi-layer)	Code No.	Diameter (mm)	Segment Dimension (L×W×H)mm	Segment No.
	DSGB-02-0900	900	24x7.0/6.4x12/15/20	64
	DSGB-02-1000	1000	24x7.5/7.0/6.5x12/15/20	70
	DSGB-02-1100	1100	24x7.5/7.0/6.5x12/15/20	74
	DSGB-02-1200	1200	24x7.8/7.4/7.0x12/15/20	80
	DSGB-02-1350	1350	24x8.4/7.9/7.4x12/15/20	88
	DSGB-02-1400	1400	24x8.4/7.9/7.4x12/15/20	96
	DSGB-02-1600	1600	24x9.4/8.9/8.4x12/15/20	104/108
	DSGB-02-1700	1700	24x9.4/8.9/8.4x12/15/20	112
	DSGB-02-1800	1800	24x10/9.4/8.8x12/15/20	120
	DSGB-02-2000	2000	24x10.6/10/9.6x12/15/20	128
	DSGB-02-2200	2200	24x11.5/11/10.5x12/15/20	132/136
	DSGB-02-2500	2500	24x12/11.5/11x15/20	140
			24x12.5/12/11.5/11x30	
	DSGB-02-2700	2700	24x12/11.5/11x15/20	140
			24/30x12.5/12/11.5/11x30	
	DSGB-02-3000	3000	24x12.5/12/11.5x15/20	160
24/30x13/12.5/12/11.5x30				
DSGB-02-3500	3500	24x13/12.5/12x15/20	180	
		24/30x13.5/13/12.5/12x30		


Male & female < top (multi-layer structure)	Code No.	Diameter (mm)	Segment Dimension (L×W×H)mm	Segment No. (pcs/set)
	DSGB-03-0900	900	24x7.0/6.5x15	64
	DSGB-03-1000	1000	24x7.0/6.5x15	70
	DSGB-03-1100	1100	24x7.4/6.8x15	74
	DSGB-03-1200	1200	24x7.5/7.0x15	80
	DSGB-03-1350	1350	24x8.4/7.7x15	88
	DSGB-03-1400	1400	24x8.5/8.0x15	96
	DSGB-03-1600	1600	24x9.0/8.4x15	104/108
	DSGB-03-1700	1700	24x9.4/8.4x15	112
	DSGB-03-1800	1800	24x9.5/9.0x15	120
	DSGB-03-2000	2000	24x10.5/9.5x15	128
	DSGB-03-2200	2200	24x11.5/10.5x15	132/136

Taper W top (multi-layer structure)	Code No.	Diameter (mm)	Segment Dimension (L×W×H)mm	Segment No.
	DSGB-05-0900	900	24x7.0/6.2x15/20	64
	DSGB-05-1000	1000	24x7.0/6.2x15/20	70
	DSGB-05-1100	1100	24x7.4/6.6x15/20	74
	DSGB-05-1200	1200	24x7.6/7.0x15/20	80
	DSGB-05-1350	1350	24x8.4/7.6x15/20	88
	DSGB-05-1400	1400	24x8.4/7.6x15/20	96
	DSGB-05-1600	1600	24x9.2/8.4x15/20	104/108
	DSGB-05-1700	1700	24x9.2/8.4x15/20	112
	DSGB-05-1800	1800	24x10.0/9.2x15/20	120
	DSGB-05-2000	2000	24x10.6/9.6x15/20	128
	DSGB-05-2200	2200	24x11.0/10.0x15/20	132/136
	DSGB-05-2500	2500	24/30x12.5/11.5x15/20	140
	DSGB-05-2700	2700	24/30x12.5/11.5x15/20	140
	DSGB-05-3000	3000	24/30x12.5/11.5x15/20	160
DSGB-05-3500	3500	24/30x13.5/12.5x15/20	180	


<< step taper shape & W Top (multi-layer structure)	Code No.	Diameter (mm)	Segment Dimension (L×W×H)mm	Segment No.
	DSGB-06-0900	900	24x7.0/6.2x15/20	64
	DSGB-06-1000	1000	24x7.0/6.2x15/20	70
	DSGB-06-1100	1100	24x7.4/6.6x15/20	74
	DSGB-06-1200	1200	24x7.6/7.0x15/20	80
	DSGB-06-1350	1350	24x8.4/7.6x15/20	88
	DSGB-06-1400	1400	24x8.4/7.6x15/20	96
	DSGB-06-1600	1600	24x9.2/8.4x15/20	104/108
	DSGB-06-1700	1700	24x9.2/8.4x15/20	112
	DSGB-06-1800	1800	24x10.0/9.2x15/20	120
	DSGB-06-2000	2000	24x10.6/9.6x15/20	128
	DSGB-06-2200	2200	24x11.0/10.0x15/20	132/136

	DSGB-06-2500	2500	24/30x12.5/11.5x15/20	140
	DSGB-06-2700	2700	24/30x12.5/11.5x15/20	140
	DSGB-06-3000	3000	24/30x12.5/11.5x15/20	160
	DSGB-06-3500	3500	24/30x13.5/12.5x15/20	180


Diamond segments of multi-blades(single diameter, 2-60pcs blades per machine):

Normal taper shape (sandwich or multi-layer)	Code No.	Diameter (mm)	Segment Dimension L x W x H (mm)	Segment No. (Per Set)
	DSGBM-1-1-1000	1000	24x6.6/6.0x13	70
	DSGBM-1-1-1200	1200	24x7.5/6.5x13	80
	DSGBM-1-1-1400	1400	24x8.5/7.5x13/15	92
	DSGBM-1-1-1600	1600	24x8.2/7.8x13/15	108


Diamond segments of multi-blades(two different diameters, 10-30pcs blades per machine):

Normal taper shape (sandwich or multi-layer)	Code No.	Diameter (mm)	Segment Dimension L x W x H (mm)	Segment No. (Per Set)
	DSGBM-1-2-1000	1000	24x7.6/7.0x13/15	70
	DSGBM-1-2-1600	1600	24x7.6/7.0x13/15	108


Diamond segments of multi-blade(tower type, 6-26 different diameters with same size segments):


Normal taper shape (multi-layer structure)	Thickness of Steel Core	Segment Size (mm)
	3.5mm	22x4.8/4.2x13 (15)
	4.0mm	22x5.4/4.8x13 (15)
	4.5mm	22x6.1/5.5x13 (15)
	5.0mm	22x6.8/6.2x13, 22x7.0/6.2x15
	5.5mm	22x7.1/6.5x13 (15)
	6.5mm	22x8.3/7.7x13, 22x8.4/7.6x15
	7.2mm	22x9.0/8.4x13, 22x9.2/8.4x15


<< step taper shape	Code No.	Diameter (mm)	Segment Dimension L x W x H (mm)	Segment No. (Per Set)
---------------------	----------	------------------	-------------------------------------	--------------------------

	DSGBM-2-1000	1000	24×7.0/6.5/6.0×13	70
	DSGBM-2-1200	1200	24×7.5/7.0/6.5×13	80
	DSGBM-2-1400	1400	24×8.5/8.0/7.5×13/15	92
	DSGBM-2-1600	1600	24×8.4/8.0/7.6×13/15	108


2. Diamond segments of circular saw blades for marble soft stone cutting


Normal flat shape	Code No.	Diameter (mm/Inch)	Segment Size LxWxH(mm)	Segment No. (pcs/set)
	DSMS-01-250	250mm(10")	40x2.6/2.8x8/10	18
	DSMS-01-300	300mm(12")	40x3.0/3.2x8/10	21
	DSMS-01-350	350mm(14")	40x3.2/3.4x8/10	24/25
	DSMS-01-400	400mm(16")	40x3.6x8/10	28
	DSMS-01-450	450mm(18")	40x4.0x8/10	32
	DSMS-01-500	500mm(20")	40x4.2x8/10	36
	DSMS-01-550	550mm(22")	40x4.4x8/10	38
	DSMS-01-600	600mm(24")	40x4.6x8/10	42
	DSMS-01-625	625mm(25")	40x4.6x8/10	42
	DSMS-01-700	700mm(28")	40x5.0x8/10	50
	DSMS-01-725	725mm(29")	40x5.5x8/10	50
	DSMS-01-800	800mm(32")	40x5.2x8/10	46

Fanlike shape	Code No.	Diameter (mm/Inch)	Segment Size LxWxH(mm)	Segment No. (pcs/set)
	DSMS-02-300	300mm(12")	44.7/42.3x3.0x8	21
	DSMS-02-350	350mm(14")	44.7/41.7x3.2x8	25
	DSMS-02-400	400mm(16")	42.9/41.2x3.6x8	28
	DSMS-02-450	450mm(18")	43.0/41.6x4.0x8	32
	DSMS-02-500	500mm(20")	43.0/41.6x4.2x8	36
	DSMS-02-600	600mm(24")	44.3/43.0x4.6x8	42



Turbo shape	Code No.	Diameter (mm/Inch)	Segment Size LxWxH(mm)	Segment No. (pcs/set)
	DSMS-03-250	250mm(10")	40x2.6/2.8x8	18
	DSMS-03-300	300mm(12")	40x3.0/3.2x8	21
	DSMS-03-350	350mm(14")	40x3.2/3.4x8	25
	DSMS-03-400	400mm(16")	40x3.6x8	28
	DSMS-03-450	450mm(18")	40x4.0x8	32
	DSMS-03-500	500mm(20")	40x4.2x8	36
	DSMS-03-550	550mm(22")	40x4.4x8	38
	DSMS-03-600	600mm(24")	40x4.6x8	42

	DSMS-03-625	625mm(25")	40x4.6x8	42
	DSMS-03-700	700mm(28")	40x5.0x8	50
	DSMS-03-725	725mm(29")	40x5.5x8	50
	DSMS-03-800	800mm(32")	40x5.2x8	46


2 U slots	Code No.	Diameter (mm/Inch)	Segment Size LxWxH(mm)	Segment No. (pcs/set)
	DSMS-04-300	300mm(12")	40x3.0/3.2x10/12	21
	DSMS-04-350	350mm(14")	40x3.2/3.4x10/12	25
	DSMS-04-400	400mm(16")	40x3.6x10/12	28
	DSMS-04-450	450mm(18")	40x4.0x10/12	32
	DSMS-04-500	500mm(20")	40x4.2x10/12	36
	DSMS-04-550	550mm(22")	40x4.4x10/12	38
	DSMS-04-600	600mm(24")	40x4.6x10/12	42


Normal box or taper shape	Code No.	Diameter (mm/Inch)	Segment Size LxWxH(mm)	Segment No. (pcs/set)
	DSMB-01-0900	900	24/30/40x6.5x8/10/12	64
	DSMB-01-1000	1000	24/30/40x7.0x8/10/12	70
	DSMB-01-1200	1200	24/30/40x7.5x8/10/12	80
	DSMB-01-1350	1350	24/30/40x8.0x8/10/12	88
	DSMB-01-1400	1400	24/30/40x8.5x8/10/12	96
	DSMB-01-1600	1600	24/30/40x9.0x8/10/12	108
	DSMB-01-1800	1800	24/30/40x9.5x10/12	120
	DSMB-01-2000	2000	24/30/40x10.5x10/12	128


Diamond gang saw segments for marble soft stone cutting

Taper shape	Code No.	Taper Segment LxWxH(mm)	Steel Core Thickness	Purpose
	DSM-GS-01C	20x3.5/4.0x8/10	2.5/3.0/3.5mm	Block Slabs Cutting
		20x4.0/4.5x8/10		
		20x4.5/5.0x8/10		
	DSM-GS-01D	24x4.5/5.0x10/12	3.0/3.5mm	Block Dressing
24x5.0/5.5x10/12				
Trapezoid taper shape	Code No.	Taper Segment LxWxH(mm)	Steel Core Thickness	Purpose
	DSM-GS-02S	18/29x3.0/3.5/4.0/4.5x8.5	2.5/3.0/3.5mm	Block slabs cutting
	DSM-GS-02L	30/40x3.0/3.5/4.0/4.5x9.0	2.5/3.0/3.5mm	Block slabs cutting


3. Diamond wall saw segments for concrete stone bricks cutting


Normal flat type	Code No.	Diameter (mm/inch)	Segment Size (mm)	Segment No. (pcs/set)
	DSWS-01-450	450mm(18")	20/40x4.6x10/12	24
	DSWS-01-500	500mm(20")	20/40x4.6x10/12	28
	DSWS-01-600	600mm(24")	20/40x4.6x10/12	34
	DSWS-01-650	650mm(26")	20/40x4.6x10/12	36
	DSWS-01-700	700mm(28")	20/40x4.6x10/12	40
	DSWS-01-750	750mm(30")	20/40x4.6x10/12	42
	DSWS-01-800	800mm(32")	20/40x4.6x10/12	46
	DSWS-01-900	900mm(36")	20/40x4.6x10/12	52
	DSWS-01-1000	1000mm(40")	20/40x4.6x10/12	58
	DSWS-01-1050	1050mm(42")	20/40x4.6x10/12	60
	DSWS-01-1100	1100mm(44")	20/40x4.6x10/12	62
	DSWS-01-1200	1200mm(48")	20/40x4.6x10/12	70

V slot	Code No.	Diameter	Segment Size	Segment No.
	DSWS-02-450	450mm(18")	40x4.6x12	24
	DSWS-02-500	500mm(20")	40x4.6x12	28
	DSWS-02-600	600mm(24")	40x4.6x12	34
	DSWS-02-650	650mm(26")	40x4.6x12	36
	DSWS-02-700	700mm(28")	40x4.6x12	40
	DSWS-02-750	750mm(30")	40x4.6x12	42
	DSWS-02-800	800mm(32")	40x4.6x12	46
	DSWS-02-900	900mm(36")	40x4.6x12	52
	DSWS-02-1000	1000mm(40")	40x4.6x12	58
	DSWS-02-1050	1050mm(42")	40x4.6x12	60
	DSWS-02-1100	1100mm(44")	40x4.6x12	62
	DSWS-02-1200	1200mm(48")	40x4.6x12	70


Arix structure	Code No.	Diameter	Segment Size	Segment No.
	DSWS-03-450	450mm(18")	20/40x4.6x10/12/15	24
	DSWS-03-500	500mm(20")	20/40x4.6x10/12/15	28
	DSWS-03-600	600mm(24")	20/40x4.6x10/12/15	34
	DSWS-03-650	650mm(26")	20/40x4.6x10/12/15	36
	DSWS-03-700	700mm(28")	20/40x4.6x10/12/15	40
	DSWS-03-750	750mm(30")	20/40x4.6x10/12/15	42
	DSWS-03-800	800mm(32")	20/40x4.6x10/12/15	46
	DSWS-03-900	900mm(36")	20/40x4.6x10/12/15	52
	DSWS-03-1000	1000mm(40")	20/40x4.6x10/12/15	58
	DSWS-03-1050	1050mm(42")	20/40x4.6x10/12/15	60
	DSWS-03-1100	1100mm(44")	20/40x4.6x10/12/15	62
	DSWS-03-1200	1200mm(48")	20/40x4.6x10/12/15	70

4. Diamond drill bit segments for concrete stone bricks drilling

Crown shape	Code No.	Diameter	Segment Size W*H(mm)
	DSDB-01-14	14mm	2.5*10mm
	DSDB-01-16	16mm(5/8")	2.5*10mm
	DSDB-01-18	18mm	2.5*10mm
	DSDB-01-20	3/4"(20mm)	2.5*10mm
	DSDB-01-22	7/8"(22mm)	2.5*10mm
	DSDB-01-25	1"(25mm)	2.5*10mm
	DSDB-01-29	1.18"(29mm)	2.5*10mm
	DSDB-01-32	1-1/4"(32mm)	2.5*10mm
	DSDB-01-35	1-3/8"(35mm)	2.5*10mm
	DSDB-01-38	1-1/2"(38mm)	3.0*10mm
	DSDB-01-42	1.63"(42mm)	3.0*10mm
	DSDB-01-45	1-3/4"(45mm)	3.0*10mm
	DSDB-01-48	1.88"(48mm)	3.0*10mm
	DSDB-01-52	2"(52mm)	3.0*10mm

Normal type	Code No.	Diameter	Segment Size (LxWxHmm)	Segment No. (pcs/set)
	DSDB-02-22	7/8"(22mm)	17x3.0x10	3
	DSDB-02-25	1"(25mm)	17x3.0x10	4
	DSDB-02-29	1.18"(29mm)	17x3.0x10	4
	DSDB-02-32	1.25"(32mm)	16x3.0x10	4
	DSDB-02-35	1.38"(35mm)	16x3.0x10	4
	DSDB-02-38	1.50"(38mm)	16x3.0x10	5
	DSDB-02-42	1.63"(42mm)	16x3.0x10	5
	DSDB-02-45	1.75"(45mm)	16x3.0x10	6
	DSDB-02-48	1.88"(48mm)	16x3.0x10	6
	DSDB-02-52	2"(52mm)	16x3.0x10	7
	DSDB-02-57	2.25"(57mm)	22x3.5x10	5
	DSDB-02-63	2.50"(63mm)	22x3.5x10	6
	DSDB-02-70	2.75"(70mm)	22x3.5x10	7
	DSDB-02-76	3"(76mm)	22x3.5x10	8
	DSDB-02-82	3.25"(82mm)	22x3.5x10	9
	DSDB-02-89	3.50"(89mm)	22x3.5x10	10
	DSDB-02-102	4"(102mm)	22x3.5x10	10
	DSDB-02-108	4.25"(108mm)	22x3.5x10	11
	DSDB-02-114	4.50"(114mm)	22x3.5x10	11
	DSDB-02-120	4.75"(120mm)	24x4.0x10	11
DSDB-02-127	5"(127mm)	24x4.0x10	11	
DSDB-02-140	5.5"(140mm)	24x4.0x10	12	
DSDB-02-146	5.75"(146mm)	24x4.0x10	13	
DSDB-02-152	6"(152mm)	24x4.0x10	13	
DSDB-02-159	6.25"(159mm)	24x4.0x10	14	

	DSDB-02-165	6.5"(165mm)	24x4.0x10	15
	DSDB-02-178	7"(178mm)	24x4.0x10	16
	DSDB-02-203	8"(203mm)	24x4.5x10	18
	DSDB-02-229	9"(229mm)	24x4.5x10	20
	DSDB-02-254	10"(254mm)	24x4.5x10	23
	DSDB-02-280	11"(280mm)	24x5.0x10	25
	DSDB-02-305	12"(305mm)	24x5.0x10	27
	DSDB-02-330	13"(330mm)	24x5.5x10	30
	DSDB-02-356	14"(356mm)	24x5.5x10	32

Roof top	Code No.	Diameter	Segment Size (LxWxHmm)	Segment No. (pcs/set)
	DSDB-03-57	2.25"(57mm)	22x3.5x10	5
	DSDB-03-63	2.50"(63mm)	22x3.5x10	6
	DSDB-03-70	2.75"(70mm)	22x3.5x10	7
	DSDB-03-76	3"(76mm)	22x3.5x10	8
	DSDB-03-82	3.25"(82mm)	22x3.5x10	9
	DSDB-03-89	3.50"(89mm)	22x3.5x10	10
	DSDB-03-102	4"(102mm)	22x3.5x10	10
	DSDB-03-108	4.25"(108mm)	22x3.5x10	11
	DSDB-03-114	4.50"(114mm)	22x3.5x10	11
	DSDB-03-120	4.75"(120mm)	24x4.0x10	11
	DSDB-03-127	5"(127mm)	24x4.0x10	11
	DSDB-03-140	5.5"(140mm)	24x4.0x10	12
	DSDB-03-146	5.75"(146mm)	24x4.0x10	13
	DSDB-03-152	6"(152mm)	24x4.0x10	13
	DSDB-03-159	6.25"(159mm)	24x4.0x10	14
	DSDB-03-165	6.5"(165mm)	24x4.0x10	15
	DSDB-03-178	7"(178mm)	24x4.0x10	16
	DSDB-03-203	8"(203mm)	24x4.5x10	18
	DSDB-03-229	9"(229mm)	24x4.5x10	20
	DSDB-03-254	10"(254mm)	24x4.5x10	23
DSDB-03-280	11"(280mm)	24x5.0x10	25	
DSDB-03-305	12"(305mm)	24x5.0x10	27	
DSDB-03-330	13"(330mm)	24x5.5x10	30	
DSDB-03-356	14"(356mm)	24x5.5x10	32	


Wave top	Code No.	Diameter	Segment Size (LxWxHmm)	Segment No. (pcs/set)
	DSDB-04-57	2.25"(57mm)	22x3.5x10	5
	DSDB-04-63	2.50"(63mm)	22x3.5x10	6
	DSDB-04-70	2.75"(70mm)	22x3.5x10	7
	DSDB-04-76	3"(76mm)	22x3.5x10	8
	DSDB-04-82	3.25"(82mm)	22x3.5x10	9
	DSDB-04-89	3.50"(89mm)	22x3.5x10	10
	DSDB-04-102	4"(102mm)	22x3.5x10	10




DSDB-04-108	4.25"(108mm)	22x3.5x10	11
DSDB-04-114	4.50"(114mm)	22x3.5x10	11
DSDB-04-120	4.75"(120mm)	24x4.0x10	11
DSDB-04-127	5"(127mm)	24x4.0x10	11
DSDB-04-140	5.5"(140mm)	24x4.0x10	12
DSDB-04-146	5.75"(146mm)	24x4.0x10	13
DSDB-04-152	6"(152mm)	24x4.0x10	13
DSDB-04-159	6.25"(159mm)	24x4.0x10	14
DSDB-04-165	6.5"(165mm)	24x4.0x10	15
DSDB-04-178	7"(178mm)	24x4.0x10	16
DSDB-04-203	8"(203mm)	24x4.5x10	18
DSDB-04-229	9"(229mm)	24x4.5x10	20
DSDB-04-254	10"(254mm)	24x4.5x10	23
DSDB-04-280	11"(280mm)	24x5.0x10	25
DSDB-04-305	12"(305mm)	24x5.0x10	27
DSDB-04-330	13"(330mm)	24x5.5x10	30
DSDB-04-356	14"(356mm)	24x5.5x10	32

Dots top	Code No.	Diameter	Segment Size (LxWxHmm)	Segment No. (pcs/set)
	DSDB-05-57	2.25"(57mm)	22x3.5x10	5
	DSDB-05-63	2.50"(63mm)	22x3.5x10	6
	DSDB-05-70	2.75"(70mm)	22x3.5x10	7
	DSDB-05-76	3"(76mm)	22x3.5x10	8
	DSDB-05-82	3.25"(82mm)	22x3.5x10	9
	DSDB-05-89	3.50"(89mm)	22x3.5x10	10
	DSDB-05-102	4"(102mm)	22x3.5x10	10
	DSDB-05-108	4.25"(108mm)	22x3.5x10	11
	DSDB-05-114	4.50"(114mm)	22x3.5x10	11
	DSDB-05-120	4.75"(120mm)	24x4.0x10	11
	DSDB-05-127	5"(127mm)	24x4.0x10	11
	DSDB-05-140	5.5"(140mm)	24x4.0x10	12
	DSDB-05-146	5.75"(146mm)	24x4.0x10	13
	DSDB-05-152	6"(152mm)	24x4.0x10	13
	DSDB-05-159	6.25"(159mm)	24x4.0x10	14
	DSDB-05-165	6.5"(165mm)	24x4.0x10	15
	DSDB-05-178	7"(178mm)	24x4.0x10	16
	DSDB-05-203	8"(203mm)	24x4.5x10	18
	DSDB-05-229	9"(229mm)	24x4.5x10	20
	DSDB-05-254	10"(254mm)	24x4.5x10	23
	DSDB-05-280	11"(280mm)	24x5.0x10	25
	DSDB-05-305	12"(305mm)	24x5.0x10	27
	DSDB-05-330	13"(330mm)	24x5.5x10	30
	DSDB-05-356	14"(356mm)	24x5.5x10	32



Great wall shape	Code No.	Diameter	Segment Size	Segment No.
	DSDB-06-52	2"(52mm)	22x3.0x10	7
	DSDB-06-57	2.25"(57mm)	22x3.5x10	5
	DSDB-06-63	2.50"(63mm)	22x3.5x10	6
	DSDB-06-70	2.75"(70mm)	22x3.5x10	7
	DSDB-06-76	3"(76mm)	22x3.5x10	8
	DSDB-06-82	3.25"(82mm)	22x3.5x10	9
	DSDB-06-89	3.50"(89mm)	22x3.5x10	10
	DSDB-06-102	4"(102mm)	22x3.5x10	10
	DSDB-06-108	4.25"(108mm)	22x3.5x10	11
	DSDB-06-114	4.50"(114mm)	22x3.5x10	11
	DSDB-06-120	4.75"(120mm)	24x4.0x10	11
	DSDB-06-127	5"(127mm)	24x4.0x10	11
	DSDB-06-140	5.5"(140mm)	24x4.0x10	12
	DSDB-06-146	5.75"(146mm)	24x4.0x10	13
	DSDB-06-152	6"(152mm)	24x4.0x10	13
	DSDB-06-159	6.25"(159mm)	24x4.0x10	14
	DSDB-06-165	6.5"(165mm)	24x4.0x10	15
	DSDB-06-178	7"(178mm)	24x4.0x10	16
	DSDB-06-203	8"(203mm)	24x4.5x10	18
	DSDB-06-229	9"(229mm)	24x4.5x10	20
DSDB-06-254	10"(254mm)	24x4.5x10	23	
DSDB-06-280	11"(280mm)	24x5.0x10	25	
DSDB-06-305	12"(305mm)	24x5.0x10	27	
DSDB-06-330	13"(330mm)	24x5.5x10	30	
DSDB-06-356	14"(356mm)	24x5.5x10	32	

V groove top	Code No.	Diameter	Segment Size	Segment No.
	DSDB-07-57	2.25"(57mm)	24x3.5x13	5
	DSDB-07-63	2.50"(63mm)	24x3.5x13	6
	DSDB-07-70	2.75"(70mm)	24x3.5x13	7
	DSDB-07-76	3"(76mm)	24x3.5x13	8
	DSDB-07-82	3.25"(82mm)	24x3.5x13	9
	DSDB-07-89	3.50"(89mm)	24x3.5x13	10
	DSDB-07-102	4"(102mm)	24x3.5x13	10
	DSDB-07-108	4.25"(108mm)	24x3.5x13	11
	DSDB-07-114	4.50"(114mm)	24x3.5x13	11
	DSDB-07-120	4.75"(120mm)	24x4.0x13	11
	DSDB-07-127	5"(127mm)	24x4.0x13	11
	DSDB-07-140	5.5"(140mm)	24x4.0x13	12
	DSDB-07-146	5.75"(146mm)	24x4.0x13	13
	DSDB-07-152	6"(152mm)	24x4.0x13	13
DSDB-07-159	6.25"(159mm)	24x4.0x13	14	


	DSDB-07-165	6.5"(165mm)	24x4.0x13	15
	DSDB-07-178	7"(178mm)	24x4.0x13	16
	DSDB-07-203	8"(203mm)	24x4.5x13	18
	DSDB-07-229	9"(229mm)	24x4.5x13	20
	DSDB-07-254	10"(254mm)	24x4.5x13	23
	DSDB-07-180	11"(280mm)	24x5.0x13	25
	DSDB-07-305	12"(305mm)	24x5.0x13	27
	DSDB-07-330	13"(330mm)	24x5.5x13	30
	DSDB-07-356	14"(356mm)	24x5.5x13	32


Serration top	Code No.	Diameter	Segment Size	Segment No.
	DSDB-08-57	2.25"(57mm)	24x3.5x13	5
	DSDB-08-63	2.50"(63mm)	24x3.5x13	6
	DSDB-08-70	2.75"(70mm)	24x3.5x13	7
	DSDB-08-76	3"(76mm)	24x3.5x13	8
	DSDB-08-82	3.25"(82mm)	24x3.5x13	9
	DSDB-08-89	3.50"(89mm)	24x3.5x13	10
	DSDB-08-102	4"(102mm)	24x3.5x13	10
	DSDB-08-108	4.25"(108mm)	24x3.5x13	11
	DSDB-08-114	4.50"(114mm)	24x3.5x13	11
	DSDB-08-120	4.75"(120mm)	24x4.0x13	11
	DSDB-08-127	5"(127mm)	24x4.0x13	11
	DSDB-08-140	5.5"(140mm)	24x4.0x13	12
	DSDB-08-146	5.75"(146mm)	24x4.0x13	13
	DSDB-08-152	6"(152mm)	24x4.0x13	13
	DSDB-08-159	6.25"(159mm)	24x4.0x13	14
	DSDB-08-165	6.5"(165mm)	24x4.0x13	15
	DSDB-08-178	7"(178mm)	24x4.0x13	16
	DSDB-08-203	8"(203mm)	24x4.5x13	18
	DSDB-08-229	9"(229mm)	24x4.5x13	20
	DSDB-08-254	10"(254mm)	24x4.5x13	23
DSDB-08-280	11"(280mm)	24x5.0x13	25	
DSDB-08-305	12"(305mm)	24x5.0x13	27	
DSDB-08-330	13"(330mm)	24x5.5x13	30	
DSDB-08-356	14"(356mm)	24x5.5x13	32	

Turbo shape	Code No.	Diameter	Segment Size	Segment No.
	DSDB-09-57	2.25"(57mm)	24x3.5x11	5
	DSDB-09-63	2.50"(63mm)	24x3.5x11	6
	DSDB-09-70	2.75"(70mm)	24x3.5x11	7
	DSDB-09-76	3"(76mm)	24x3.5x11	8
	DSDB-09-82	3.25"(82mm)	24x3.5x11	9
	DSDB-09-89	3.50"(89mm)	24x3.5x11	10
	DSDB-09-102	4"(102mm)	24x3.5x11	10



DSDB-09-108	4.25"(108mm)	24x3.5x11	11
DSDB-09-114	4.50"(114mm)	24x3.5x11	11
DSDB-09-120	4.75"(120mm)	24x4.0x11	11
DSDB-09-127	5"(127mm)	24x4.0x11	11
DSDB-09-140	5.5"(140mm)	24x4.0x11	12
DSDB-09-146	5.75"(146mm)	24x4.0x11	13
DSDB-09-152	6"(152mm)	24x4.0x11	13
DSDB-09-159	6.25"(159mm)	24x4.0x11	14
DSDB-09-165	6.5"(165mm)	24x4.0x11	15
DSDB-09-178	7"(178mm)	24x4.0x11	16
DSDB-09-203	8"(203mm)	24x4.5x11	18
DSDB-09-229	9"(229mm)	24x4.5x11	20
DSDB-09-254	10"(254mm)	24x4.5x11	23
DSDB-09-180	11"(280mm)	24x5.0x11	25
DSDB-09-305	12"(305mm)	24x5.0x11	27
DSDB-09-330	13"(330mm)	24x5.5x11	30
DSDB-09-356	14"(356mm)	24x5.5x11	32

Roof top turbo shape	Code No.	Diameter	Segment Size	Segment No.
	DSDB-10-57	2.25"(57mm)	24x3.5x11	5
	DSDB-10-63	2.50"(63mm)	24x3.5x11	6
	DSDB-10-70	2.75"(70mm)	24x3.5x11	7
	DSDB-10-76	3"(76mm)	24x3.5x11	8
	DSDB-10-82	3.25"(82mm)	24x3.5x11	9
	DSDB-10-89	3.50"(89mm)	24x3.5x11	10
	DSDB-10-102	4"(102mm)	24x3.5x11	10
	DSDB-10-108	4.25"(108mm)	24x3.5x11	11
	DSDB-10-114	4.50"(114mm)	24x3.5x11	11
	DSDB-10-120	4.75"(120mm)	24x4.0x11	11
	DSDB-10-127	5"(127mm)	24x4.0x11	11
	DSDB-10-140	5.5"(140mm)	24x4.0x11	12
	DSDB-10-146	5.75"(146mm)	24x4.0x11	13
	DSDB-10-152	6"(152mm)	24x4.0x11	13
	DSDB-10-159	6.25"(159mm)	24x4.0x11	14
	DSDB-10-165	6.5"(165mm)	24x4.0x11	15
	DSDB-10-178	7"(178mm)	24x4.0x11	16
	DSDB-10-203	8"(203mm)	24x4.5x11	18
	DSDB-10-229	9"(229mm)	24x4.5x11	20
	DSDB-10-254	10"(254mm)	24x4.5x11	23
DSDB-10-180	11"(280mm)	24x5.0x11	25	
DSDB-10-305	12"(305mm)	24x5.0x11	27	
DSDB-10-330	13"(330mm)	24x5.5x11	30	
DSDB-10-356	14"(356mm)	24x5.5x11	32	

Arix structure	Code No.	Diameter	Segment Size	Segment No.
	DSDB-11-22	7/8"(22mm)	16x3.0x10	3
	DSDB-11-25	1"(25mm)	16x3.0x10	4
	DSDB-11-29	1.18"(29mm)	16x3.0x10	4
	DSDB-11-32	1.25"(32mm)	16x3.0x10	4
	DSDB-11-35	1.38"(35mm)	16x3.0x10	4
	DSDB-11-38	1.50"(38mm)	16x3.0x10	5
	DSDB-11-42	1.63"(42mm)	16x3.0x10	5
	DSDB-11-45	1.75"(45mm)	16x3.0x10	6
	DSDB-11-48	1.88"(48mm)	16x3.0x10	6
	DSDB-11-52	2"(52mm)	16x3.0x10	7
	DSDB-11-57	2.25"(57mm)	22x3.5x10	5
	DSDB-11-63	2.50"(63mm)	22x3.5x10	6
	DSDB-11-70	2.75"(70mm)	22x3.5x10	7
	DSDB-11-76	3"(76mm)	22x3.5x10	8
	DSDB-11-82	3.25"(82mm)	22x3.5x10	9
	DSDB-11-89	3.50"(89mm)	22x3.5x10	10
	DSDB-11-102	4"(102mm)	22x3.5x10	10
	DSDB-11-108	4.25"(108mm)	22x3.5x10	11
	DSDB-11-114	4.50"(114mm)	22x3.5x10	11
	DSDB-11-120	4.75"(120mm)	24x4.0x10	11
	DSDB-11-127	5"(127mm)	24x4.0x10	11
	DSDB-11-140	5.5"(140mm)	24x4.0x10	12
	DSDB-11-146	5.75"(146mm)	24x4.0x10	13
	DSDB-11-152	6"(152mm)	24x4.0x10	13
	DSDB-11-159	6.25"(159mm)	24x4.0x10	14
	DSDB-11-165	6.5"(165mm)	24x4.0x10	15
	DSDB-11-178	7"(178mm)	24x4.0x10	16
	DSDB-11-203	8"(203mm)	24x4.5x10	18
	DSDB-11-229	9"(229mm)	24x4.5x10	20
	DSDB-11-254	10"(254mm)	24x4.5x10	23
	DSDB-11-280	11"(280mm)	24x5.0x10	25
	DSDB-11-305	12"(305mm)	24x5.0x10	27
DSDB-11-330	13"(330mm)	24x5.5x10	30	
DSDB-11-356	14"(356mm)	24x5.5x10	32	